





Quick Reference VCP Comparison Table for RPG Operators

Dec 2006

Slices	Tilts / Time*	VCP	Description	Usage	Limitations
	14 in 5 mins	11	Legacy	Severe and non-severe convective events. Local 11 has Rmax=80nm. Remote 11 has Rmax=94nm.	Fewer low elevation angles make this VCP less effective for long-range detection of storm features when compared to VCPs 12 and 212
		211	SZ-2, improved split cuts	Widespread precipitation events with embedded, severe convective activity (e.g. MCS, hurricane). Significantly reduces range-obscured V/SW data when compared to VCP 11.	All Bins clutter suppression is NOT recommended. PRFs are not editable for SZ-2 (Split Cut) tilts.
	14 in 4 ½ mins	12	Faster Updates, better vertical coverage	Rapidly evolving, severe convective events. Extra low elevation angles increase low-level vertical resolution when compared to VCP 11.	High antenna rotation rates decrease the effectiveness of clutter filtering, increase the likelihood of bias, and slightly decrease accuracy of the base data estimates.
		212	SZ-2, improved split cuts	Rapidly evolving, widespread severe convective events (e.g. squall line, MCS). Increased low-level vertical resolution compared to VCP 11. Significantly reduces range-obscured V/SW data when compared to VCP 12.	All Bins clutter suppression is NOT recommended. PRFs are not editable for SZ-2 (Split Cut) tilts. High antenna rotation rates decrease the effectiveness of clutter filtering, increase the likelihood of bias, and slightly decrease accuracy of the base data estimates.
	9 in 6 mins	21	Legacy	Non-severe convective precipitation events. Local 21 has Rmax=80nm. Remote 21 has Rmax=94nm.	Gaps in coverage above 5°, 6 min updates.
		121	MPDA applied to split cuts	VCP of choice for hurricanes. Widespread stratiform precipitation events. Significantly reduces range-obscured V/SW data when compared to VCP 21. Updates in about 5 min.	PRFs are not editable for any tilt. Gaps in coverage above 5°.
		221	SZ-2, improved split cuts	Widespread precipitation events with embedded, possibly severe convective activity (e.g. MCS, hurricane). Further reduces range-obscured V/SW data when compared to VCP 121. 5 min updates.	All Bins clutter suppression is NOT recommended. PRFs are not editable for SZ-2 (Split Cut) tilts. Gaps in coverage above 5°.
	5 in 10 mins	31	Long Pulse	Clear-air, snow, and light stratiform precipitation. Best sensitivity. Detailed boundary layer structure often evident.	Susceptible to velocity dealiasing failures. No coverage above 5°. Rapidly developing convective echoes aloft might be missed.
		32	Short Pulse	Clear-air, snow, and light stratiform precipitation.	No coverage above 5°. Rapidly developing convective echoes aloft might be missed.

*VCP update times are approximate.

WDTB RPS List Decision Aid: <http://www.wdtb.noaa.gov/tools/RPS>